

Management of Post-Hemorrhagic Ventricular Dilatation in the Preterm Infant

Ahn SY, Shim SY, Sung IK. Intraventricular Hemorrhage and Post Hemorrhagic Hydrocephalus among Very-Low-Birth-Weight Infants in Korea. J Korean Med Sci. 2015 Oct;30 Suppl 1(Suppl 1):S52-8. doi: 10.3346/jkms.2015.30.S1.S52. Epub 2015 Oct 27. PMID: 26566358; PMCID: PMC4641064.

Ahn SY, Chang YS, Sung DK, Sung SI, Yoo HS, et al. Mesenchymal stem cells prevent hydrocephalus after severe intraventricular hemorrhage. Stroke. 2013 Feb;44(2):497-504. doi: 10.1161/STROKEAHA.112.679092. Epub 2013 Jan 3. PMID: 23287782.

Cizmeci MN, Groenendaal F, Liem KD, van Haastert IC, Benavente-Fernández I, et al; ELVIS study group. Randomized Controlled Early versus Late Ventricular Intervention Study in Posthemorrhagic Ventricular Dilatation: Outcome at 2 Years. J Pediatr. 2020 Aug 12:S0022-3476(20)30996-3. doi: 10.1016/j.jpeds.2020.08.014. Epub ahead of print. PMID: 32800815.

Del Bigio MR, Di Curzio DL. Nonsurgical therapy for hydrocephalus: a comprehensive and critical review. Fluids Barriers CNS. 2016 Feb 5;13:3. doi: 10.1186/s12987-016-0025-2. PMID: 26846184; PMCID: PMC4743412.

Del Bigio MR, Khan OH, da Silva Lopes L, Juliet PA. Cerebral white matter oxidation and nitrosylation in young rodents with kaolin-induced hydrocephalus. J Neuropathol Exp Neurol. 2012 Apr;71(4):274-88. doi: 10.1097/NEN.0b013e31824c1b44. PMID: 22437339.

Deren KE, Packer M, Forsyth J, Milash B, Abdullah OM, et al. Reactive astrocytosis, microgliosis and inflammation in rats with neonatal hydrocephalus. Exp Neurol. 2010 Nov;226(1):110-9. doi: 10.1016/j.expneurol.2010.08.010. Epub 2010 Aug 14. PMID: 20713048.

El-Dib M, Limbrick DD Jr, Inder T, Whitelaw A, Kulkarni AV, et al. Management of Post-hemorrhagic Ventricular Dilatation in the Infant Born Preterm. J Pediatr. 2020 Jul 30:S0022-3476(20)30978-1. doi: 10.1016/j.jpeds.2020.07.079. Epub ahead of print. PMID: 32739263.

Fox RJ, Walji AH, Mielke B, Petruk KC, Aronyk KE. Anatomic details of intradural channels in the parasagittal dura: a possible pathway for flow of cerebrospinal fluid. Neurosurgery. 1996 Jul;39(1):84-90; discussion 90-1. doi: 10.1097/00006123-199607000-00017. PMID: 8805143.

Garton T, Hua Y, Xiang J, Xi G, Keep RF. Challenges for intraventricular hemorrhage research and emerging therapeutic targets. Expert Opin Ther Targets. 2017 Dec;21(12):1111-1122. doi: 10.1080/14728222.2017.1397628. Epub 2017 Oct 30. PMID: 29067856; PMCID: PMC6097191.

Inder TE, Volpe JJ. Recovery of congenital isolated pharyngeal dysfunction: implications for early management. Pediatr Neurol. 1998 Sep;19(3):222-4. doi: 10.1016/s0887-8994(98)00043-5. PMID: 9806141.

Murphy BP, Inder TE, Rooks V, Taylor GA, Anderson NJ, et al. Posthaemorrhagic ventricular dilatation in the premature infant: natural history and predictors of outcome. Arch Dis Child Fetal Neonatal Ed. 2002 Jul;87(1):F37-41. doi: 10.1136/fn.87.1.f37. PMID: 12091289; PMCID: PMC1721419.

Norooz F, Urlesberger B, Giordano V, Klebermasz-Schrehof K, Weninger M, et al. Decompressing posthaemorrhagic ventricular dilatation significantly improves regional cerebral oxygen saturation in preterm infants. Acta Paediatr. 2015 Jul;104(7):663-9. doi: 10.1111/apa.12942. Epub 2015 Feb 19. PMID: 25619108.

Olsen IE, Lawson ML, Ferguson AN, Cantrell R, Grabich SC, Zemel BS, Clark RH. BMI curves for preterm infants. *Pediatrics*. 2015 Mar;135(3):e572-81. doi: 10.1542/peds.2014-2777. Epub 2015 Feb 16. PMID: 25687149.

Olsen IE, Groveman SA, Lawson ML, Clark RH, Zemel BS. New intrauterine growth curves based on United States data. *Pediatrics*. 2010 Feb;125(2):e214-24. doi: 10.1542/peds.2009-0913. Epub 2010 Jan 25. PMID: 20100760.

Park WS, Sung SI, Ahn SY, Sung DK, Im GH, et al. Optimal Timing of Mesenchymal Stem Cell Therapy for Neonatal Intraventricular Hemorrhage. *Cell Transplant*. 2016;25(6):1131-44. doi: 10.3727/096368915X689640. Epub 2015 Oct 5. PMID: 26440762.

Robinson S, Conteh FS, Oppong AY, Yellowhair TR, Newville JC, et al. Extended Combined Neonatal Treatment With Erythropoietin Plus Melatonin Prevents Posthemorrhagic Hydrocephalus of Prematurity in Rats. *Front Cell Neurosci*. 2018 Sep 25;12:322. doi: 10.3389/fncel.2018.00322. PMID: 30319361; PMCID: PMC6167494.

Shankaran S, Bajaj M, Natarajan G, Saha S, Pappas A, et al; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Outcomes Following Post-Hemorrhagic Ventricular Dilatation among Infants of Extremely Low Gestational Age. *J Pediatr*. 2020 Jul 30:S0022-3476(20)30979-3. doi: 10.1016/j.jpeds.2020.07.080. Epub ahead of print. PMID: 32739261; PMCID: PMC7855243.

Stoll BJ, Hansen NI, Bell EF, Walsh MC, Carlo WA, et al; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Trends in Care Practices, Morbidity, and Mortality of Extremely Preterm Neonates, 1993-2012. *JAMA*. 2015 Sep 8;314(10):1039-51. doi: 10.1001/jama.2015.10244. PMID: 26348753; PMCID: PMC4787615.

Whitelaw A, Christie S, Pople I. Transforming growth factor-beta1: a possible signal molecule for posthemorrhagic hydrocephalus? *Pediatr Res*. 1999 Nov;46(5):576-80. doi: 10.1203/00006450-199911000-00014. PMID: 10541321.