

***80 Years of Vision: An Evidence-Based Approach to the Treatment of Retinopathy of Prematurity***

Abbey AM, Besirli CG, Musch DC, et al. Evaluation of screening for retinopathy of prematurity by ROPtool or a lay reader. *Ophthalmology* 2016;123:385–390.

Aoyama K, Kondou Y, Suzuki Y, et al. Anesthesia protocols for early vitrectomy in former preterm infants diagnosed with aggressive posterior retinopathy of prematurity. *J Anesth* 2010;24:633–638.

Araz-Ersan B, Kir N, Tuncer S, et al. Preliminary anatomical and neurodevelopmental outcomes of intravitreal bevacizumab as adjunctive treatment for retinopathy of prematurity. *Curr Eye Res* 2015;40:585–591.

Arevalo JF, Maia M, Flynn HW, et al. Tractional retinal detachment following intravitreal bevacizumab (Avastin) in patients with severe proliferative diabetic retinopathy. *Br J Ophthalmol* 2008;92:213–216.

Azad R, Chandra P, Khan MA, Darswal A. Role of intravenous fluorescein angiography in early detection and regression of retinopathy of prematurity. *J Pediatr Ophthalmol Strabismus* 2008;45:36–39.

Binenbaum G, Ying GS, Quinn GE, et al. The CHOP post-natal weight gain, birth weight, and gestational age retinopathy of prematurity risk model. *Arch Ophthalmol* 2012;130: 1560–1565.

Byrne MW, Casale P, Garzon M, et al. Pediatric surgeons and anesthesiologists expand the dialogue on the neurotoxicity question, rationale for early and delayed surgeries, and practice changes while awaiting definitive evidence. *J Neurosurg Anesthesiol* 2014;26:391–395.

Campbell JP, Kalpathy-Cramer J, Erdogmus D, et al. Plus disease in retinopathy of prematurity: a continuous spectrum of vascular abnormality as a basis of diagnostic variability. *Ophthalmology* 2016;123:2338–2344.

Capone A, Trese MT. Lens-sparing vitreous surgery for tractional stage 4A retinopathy of prematurity retinal detachments. *Ophthalmology* 2001;108:2068–2070.

Carneiro AM, Costa R, Falcão MS, et al. Vascular endothelial growth factor plasma levels before and after treatment of neovascular age-related macular degeneration with bevacizumab or ranibizumab. *Acta Ophthalmol* 2012;90:e25–e30.

Chan RVP, Patel SN, Ryan MC, et al. The global education network for retinopathy of prematurity (Gen-Rop): development, implementation, and evaluation of a novel tele-education system (an American Ophthalmological Society Thesis). *Trans Am Ophthalmol Soc* 2015;113:T21–T226.

Chavala SH, Farsiu S, Maldonado R, et al. Insights into advanced retinopathy of prematurity using handheld spectral domain optical coherence tomography imaging. *Ophthalmology* 2009;116:2448–2456.

Chiang MF, Keenan JD, Starren J, et al. Accuracy and reliability of remote retinopathy of prematurity diagnosis. *Arch Ophthalmol* 2006;124:322–327.

Chiang MF, Starren J, Du YE, et al. Remote image based retinopathy of prematurity diagnosis: a receiver operating characteristic analysis of accuracy. *Br J Ophthalmol* 2006; 90:1292–1296.

Connor TB, Roberts AB, Sporn MB, et al. Correlation of fibrosis and transforming growth factor-beta type 2 levels in the eye. *J Clin Invest* 1989;83:1661–1666.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Multicenter trial of cryotherapy for retinopathy of prematurity. Snellen visual acuity and structural outcome at 5 1/2 years after randomization. *Arch Ophthalmol* 1996;114: 417–424.

Dejana E. The role of wnt signaling in physiological and pathological angiogenesis. *Circ Res* 2010;107:943–952.

Drenser K, Girach A, Capone A. A randomized, placebo- controlled study of intravitreal ocriplasmin in pediatric patients scheduled for vitrectomy. *Retina* 2016;36:565–575.

Drenser KA, Dailey W, Vinekar A, et al. Clinical presentation and genetic correlation of patients with mutations affecting the FZD4 gene. *Arch Ophthalmol* 2009;127:1649–1654.

Drenser KA, Trese MT, Capone A. Aggressive posterior retinopathy of prematurity. *Retina* 2010;30:S37–S40.

Drenser KA. Anti-angiogenic therapy in the management of retinopathy of prematurity. *Dev Ophthalmol* 2009;44:89–97.

Dubis AM, Subramaniam CD, Godara P, et al. Subclinical macular findings in infants screened for retinopathy of prematurity with spectral-domain optical coherence tomography. *Ophthalmology* 2013;120:1665–1671.

Ells AL, Holmes JM, Astle WF, et al. Telemedicine approach to screening for severe retinopathy of prematurity: a pilot study. *Ophthalmology* 2003;110:2113–2117.

Emsley HC, Wardle SP, Sims DG, et al. Increased survival and deteriorating developmental outcome in 23 to 25 week old gestation infants, 1990-4 compared with 1984-9. *Arch Dis Child Fetal Neonatal Ed* 1998;78:F99–F104.

Erol MK, Ozdemir O, Turgut Coban D, et al. Macular findings obtained by spectral domain optical coherence tomography in retinopathy of prematurity. *J Ophthalmol* 2014;6:468653–468657.

Fierson WM, Capone A; American Academy of Pediatrics Section on Ophthalmology, American Academy of Ophthalmology, American Association of Certified Orthoptists. Telemedicine for evaluation of retinopathy of prematurity. *Pediatrics* 2015;135:e238–e254.

Fierson WM; American Academy of Pediatrics Section on Ophthalmology, American Academy of Ophthalmology, American Association for Pediatric Ophthalmology and Strabismus, American Association of Certified Orthoptists. Screening examination of premature infants for retinopathy of prematurity. *Pediatrics* 2013;131:189–195.

:

Fijalkowski N, Zheng LL, Henderson MT, et al. Stanford University Network for Diagnosis of Retinopathy of Prematurity (SUNDROP): five years of screening with telemedicine. *Ophthalmic Surg Lasers Imaging Retina* 2014;45:1–8.

Flick RP, Sprung J, Harrison TE, et al. Perioperative cardiac arrests in children between 1988 and 2005 at a tertiary referral center: a study of 92,881 patients. *Anesthesiology* 2007;106: 226–237.

Forooghian F, Kertes PJ, Eng KT, et al. Alterations in the intraocular cytokine milieu after intravitreal bevacizumab. *Invest Ophthalmol Vis Sci* 2010;51:2388–2392.

Fung THM, Muqit MMK, Mordant DJ, et al. Noncontact high-resolution ultra-wide-field oral fluorescein angiography in premature infants with retinopathy of prematurity. *JAMA Ophthalmol* 2014;132:108–110.

Gilbert C, Rahi J, Eckstein M, et al. Retinopathy of prematurity in middle-income countries. *Lancet* 1997;350:12–14.

Gilbert C. Retinopathy of prematurity: a global perspective of the epidemics, population of babies at risk and implications for control. *Early Hum Dev* 2008;84:77–82.

Gologorsky D, Chang JS, Hess DJ, Berrocal AM. Familial exudative vitreoretinopathy in a premature child. *Ophthalmic Surg Lasers Imaging Retina* 2013;44:603–605.

Gonzales CR, Boshra J, Schwartz SD. 25-Gauge pars plicata vitrectomy for stage 4 and 5 retinopathy of prematurity. *Retina* 2006;26:S42–S46.

Good WV; Early Treatment for Retinopathy of Prematurity Cooperative Group. Final results of the Early Treatment for Retinopathy of Prematurity (ETROP) randomized trial. *Trans Am Ophthalmol Soc* 2004;102:233–248.

Govetto A, Virgili G, Menchini F, et al. A systematic review of endophthalmitis after microincisional versus 20-gauge vitrectomy. *Ophthalmology* 2013;120:2286–2291.

Greven C, Tasman W. Scleral buckling in stages 4B and 5 retinopathy of prematurity. *Ophthalmology* 1990;97:817–820.

Guagliano R, Barillà D, Bertone C, et al. Fluorescein angiography-based diagnosis for retinopathy of prematurity: expert-non expert comparison. *Eur J Ophthalmol* 2013;23: 881–886.

Gupta MP, Chan RVP, Anzures R, et al. Practice patterns in retinopathy of prematurity treatment for disease milder than recommended by Guidelines. *Am J Ophthalmol* 2016;163:1–10.

Gursoy H, Bilgeç MD, Erol N, et al. The macular findings on spectral-domain optical coherence tomography in premature infants with or without retinopathy of prematurity. *Int Ophthalmol* 2016;36:591–600.

Henaine-Berra A, Garcia-Aguirre G, Quiroz-Mercado H, Martinez-Castellanos MA. Retinal fluorescein angiographic changes following intravitreal anti-VEGF therapy. *J AAPOS* 2014;18:120–123.

Hiraoka M, Takahashi H, Orimo H, et al. Genetic screening of Wnt signaling factors in advanced retinopathy of prematurity. *Mol Vis* 2010;16:2572–2577.

Hirose T, Katsumi O, Mehta MC, Schepens CL. Vision in stage 5 retinopathy of prematurity after retinal reattachment by open-sky vitrectomy. *Arch Ophthalmol* 1993;111: 345–349.

Ho LY, Ho V, Aggarwal H, et al. Management of avascular peripheral retina in older prematurely born infants. *Retina* 2011;31:1248–1254.

Ho LY, Ranchod TM, Drenser KA, et al. Ab interno incision for pediatric vitreoretinal surgery. *Retina* 2010;30:1542–1543.

Hoerster R, Muether P, Dahlke C, et al. Serum concentrations of vascular endothelial growth factor in an infant treated with ranibizumab for retinopathy of prematurity. *Acta Ophthalmol* 2013;91:e74–e75.

Honda S, Hirabayashi H, Tsukahara Y, Negi A. Acute contraction of the proliferative membrane after an intravitreal injection of bevacizumab for advanced retinopathy of prematurity. *Graefes Arch Clin Exp Ophthalmol* 2008;246: 1061–1063.

Hong YR, Kim YH, Kim SY, et al. Plasma concentrations of vascular endothelial growth factor in retinopathy of prematurity after intravitreal bevacizumab injection. *Retina* 2015;35: 1772–1777.

Hoppe G, Yoon S, Gopalan B, et al. Comparative systems pharmacology of HIF stabilization in the prevention of retinopathy of prematurity. *Proc Natl Acad Sci U S A* 2016;113: E2516–E2525.

Jang SY, Choi KS, Lee SJ. Delayed-onset retinal detachment after an intravitreal injection of ranibizumab for zone 1 plus retinopathy of prematurity. *J AAPOS* 2010;14:457–459.

John VJ, McClintic JI, Hess DJ, Berrocal AM. Retinopathy of prematurity versus familial exudative vitreoretinopathy: report on clinical and angiographic findings. *Ophthalmic Surg Lasers Imaging Retina* 2016;47:14–19.

Joshi MM, Ciaccia S, Trese MT, Capone A. Posterior hyaloid contracture in pediatric vitreoretinopathies. *Retina* 2006;26: S38–S41.

Joshi MM, Trese MT, Capone A. Optical coherence tomography findings in stage 4A retinopathy of prematurity: a theory for visual variability. *Ophthalmology* 2006;113:657–660.

Kaiser RS, Trese MT, Williams GA, Cox MS. Adult retinopathy of prematurity: outcomes of rhegmatogenous retinal detachments and retinal tears. *Ophthalmology* 2001;108: 1647–1653.

Klufas MA, Patel SN, Ryan MC, et al. Influence of fluorescein angiography on the diagnosis and management of retinopathy of prematurity. *Ophthalmology* 2015;122:1601–1608.

Knöfler M, Pollheimer J. Human placental trophoblast invasion and differentiation: a particular focus on Wnt signaling. *Front Genet* 2013;4:190.

Kondo H, Kusaka S, Yoshinaga A, et al. Genetic variants of FZD4 and LRP5 genes in patients with advanced retinopathy of prematurity. *Mol Vis* 2013;19:476–485.

Kong L, Bhatt AR, Demny AB, et al. Pharmacokinetics of bevacizumab and its effects on serum VEGF and IGF-1 in infants with retinopathy of prematurity. *Invest Ophthalmol Vis Sci* 2015;56:956–961.

Kychenthal A, Dorta P. 25-gauge lens-sparing vitrectomy for stage 4A retinopathy of prematurity. *Retina* 2008;28:S65–S68.

Lajoie A, Koreen S, Wang L, et al. Retinopathy of prematurity management using single-image vs multiple-image telemedicine examinations. *Am J Ophthalmol* 2008;146:298–309.

Lee AC, Maldonado RS, Sarin N, et al. Macular features from spectral-domain optical coherence tomography as an adjunct to indirect ophthalmoscopy in retinopathy of prematurity. *Retina* 2011;31:1470–1482.

Lepore D, Molle F, Pagliara MM, et al. Atlas of fluorescein angiographic findings in eyes undergoing laser for retinopathy of prematurity. *Ophthalmology* 2011;118:168–175.

Ley D, Hansen-Pupp I, Niklasson A, et al. Longitudinal infusion of a complex of insulin-like growth factor-I and IGF-binding protein-3 in five preterm infants: pharmacokinetics and short-term safety. *Pediatr Res* 2013;73:68–74.

Lien R, Yu MH, Hsu KH, et al. Neurodevelopmental outcomes in infants with retinopathy of prematurity and bevacizumab treatment. Hartnett ME, ed. *PLoS One* 2016;11: e0148019.

Mackenzie F, Ruhrberg C. Diverse roles for VEGF-A in the nervous system. *Development* 2012;139:1371–1380.

Maldonado RS, O'Connell R, Ascher SB, et al. Spectral-domain optical coherence tomographic assessment of severity of cystoid macular edema in retinopathy of prematurity. *Arch Ophthalmol* 2012;130:569–578.

Marra KV, Yonekawa Y, Papakostas TD, Arroyo JG. Indications and techniques of endoscope assisted vitrectomy. *J Ophthalmic Vis Res* 2013;8:282–290.

Martinez-Castellanos MA, Schwartz S, Hernández-Rojas ML, et al. Long-term effect of antiangiogenic therapy for retinopathy of prematurity up to 5 years of follow-up. *Retina* 2013; 33:329–338.

Meza PA. Anesthesia for infants and children. In: Hartnett ME, Trese MT, Capone A Jr, Keats BJB, Caputo G, eds. *Pediatric Retina*. 2nd ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2014:577–585.

Morin J, Luu TM, Superstein R, et al. Neurodevelopmental outcomes following bevacizumab injections for retinopathy of prematurity. *Pediatrics* 2016;137:e20153218.

Muni RH, Kohly RP, Charonis AC, Lee TC. Retinoschisis detected with handheld spectral-domain optical coherence tomography in neonates with advanced retinopathy of prematurity. *Arch Ophthalmol* 2010;128:57–62.

Myung JS, Gelman R, Aaker GD, et al. Evaluation of vascular disease progression in retinopathy of prematurity using static and dynamic retinal images. *Am J Ophthalmol* 2012; 153:544–551.

Ng EYJ, Lanigan B, O'Keefe M. Fundus fluorescein angiography in the screening for and management of retinopathy of prematurity. *J Pediatr Ophthalmol Strabismus* 2006;43: 85–90.

Nusse R. Wnt signaling in disease and in development. *Cell Res* 2005;15:28–32.

Oshima Y, Kadonosono K, Yamaji H, et al. Multicenter survey with a systematic overview of acute-onset endophthalmitis after transconjunctival microincision vitrectomy surgery. *Am J Ophthalmol* 2010;150:716–725.

Padhi TR, Rath S, Jalali S, et al. Larger and near-term baby retinopathy: a rare case series. *Eye (Lond)* 2015;29:286–289.

Park SW, Jung HH, Heo H. Fluorescein angiography of aggressive posterior retinopathy of prematurity treated with intravitreal anti-VEGF in large preterm babies. *Acta Ophthalmol* 2014;92:810–813.

Parmalee NL, Kitajewski J. Wnt signaling in angiogenesis. *Curr Drug Targets* 2008;9:558–564.

Patel CK, Fung THM, Muqit MMK, et al. Non-contact ultra- widefield imaging of retinopathy of prematurity using the Optos dual wavelength scanning laser ophthalmoscope. *Eye (Lond)* 2013;27:589–596.

Patel RD, Blair MP, Shapiro MJ, Lichtenstein SJ. Significant treatment failure with intravitreal bevacizumab for retinopathy of prematurity. *Arch Ophthalmol* 2012;130:801–802.

Patel SN, Klufas MA, Ryan MC, et al. Color fundus photography versus fluorescein angiography in identification of the macular center and zone in retinopathy of prematurity. *Am J Ophthalmol* 2015;159:950–957.

Paul Chan RV, Williams SL, Yonekawa Y, et al. Accuracy of retinopathy of prematurity diagnosis by retinal fellows. *Retina* 2010;30:958–965.

Photographic Screening for Retinopathy of Prematurity (Photo-ROP) Cooperative Group. The photographic screening for retinopathy of prematurity study (photo-ROP). Primary outcomes. *Retina* 2008;28:S47–S54.

Photographic Screening for Retinopathy of Prematurity (Photo-ROP) Cooperative Group, Balasubramanian M, Capone A, Hartnett ME, et al. The Photographic Screening for Retinopathy of Prematurity Study (Photo-ROP): study design and baseline characteristics of enrolled patients. *Retina* 2006;26:S4–S10.

Quinn GE, Ying GS, Daniel E, et al. Validity of a telemedicine system for the evaluation of acute-phase retinopathy of prematurity. *JAMA Ophthalmol* 2014;132:1178–1184.

Recchia FM, Capone A. Contemporary understanding and management of retinopathy of prematurity. *Retina* 2004;24: 283–292.

Recchia FM, Recchia CC. Foveal dysplasia evident by optical coherence tomography in patients with a history of retinopathy of prematurity. *Retina* 2007;27:1221–1226.

Robinson J. Adult retinopathy of prematurity: a 35-year review. *American Society of Retina Specialists Annual Meeting*; August 26, 2013; Toronto, CA.

Roth DB, Morales D, Feuer WJ, et al. Screening for retinopathy of prematurity employing the retcam 120: sensitivity and specificity. *Arch Ophthalmol* 2001;119:268–272.

Sato T, Kusaka S, Shimojo H, Fujikado T. Simultaneous analyses of vitreous levels of 27 cytokines in eyes with retinopathy of prematurity. *Ophthalmology* 2009;116: 2165–2169.

Sato T, Wada K, Arahori H, et al. Serum concentrations of bevacizumab (avastin) and vascular endothelial growth factor in infants with retinopathy of prematurity. *Am J Ophthalmol* 2012;153:327–333.

Shah PK, Narendran V, Kalpana N, Gilbert C. Severe retinopathy of prematurity in big babies in India: history repeating itself? *Indian J Pediatr* 2009;76:801–804.

Sinha R, Talawar P, Ramachandran R, et al. Perioperative management and post-operative course in preterm infants undergoing vitreo-retinal surgery for retinopathy of prematurity: a retrospective study. *J Anaesthesiol Clin Pharmacol* 2014;30:258–262.

Sinner B, Becke K, Engelhard K. General anaesthetics and the developing brain: an overview. *Anaesthesia* 2014;69: 1009–1022.

Snyder LL, Garcia-Gonzalez JM, Shapiro MJ, Blair MP. Very late reactivation of retinopathy of prematurity after monotherapy with intravitreal bevacizumab. *Ophthalmic Surg Lasers Imaging Retina* 2016;47:280–283.

Sood BG, Madan A, Saha S, et al. Perinatal systemic inflammatory response syndrome and retinopathy of prematurity. *Pediatr Res* 2010;67:394–400.

Steward DJ. Preterm infants are more prone to complications following minor surgery than are term infants. *Anesthesiology* 1982;56:304–306.

Suk KK, Berrocal AM, Murray TG, et al. Retinal detachment despite aggressive management of aggressive posterior retinopathy of prematurity. *J Pediatr Ophthalmol Strabismus* 2010;47:e1–e4.

Tahija SG, Hersetyati R, Lam GC, et al. Fluorescein angiographic observations of peripheral retinal vessel growth in infants after intravitreal injection of bevacizumab as sole therapy for zone I and posterior zone II retinopathy of prematurity. *Br J Ophthalmol* 2014;98:507–512.

Terry TL. Extreme prematurity and fibroblastic overgrowth of persistent vascular sheath behind each crystalline lens. I. preliminary report. *Am J Ophthalmol* 1942;25:203–204.

Thanos A, Yonekawa Y, Todorich B, et al. Spectral-domain optical coherence tomography in older patients with history of retinopathy of prematurity. *Ophthalmic Surg Lasers Imaging Retina* 2016;47:1086–1094.

Thomas BJ, Yonekawa Y, Trese MT. Complete resolution of large retinal fold after transection of retrolental membrane during lens-sparing vitrectomy for retinopathy of prematurity: a 15-year follow-up. *Retin Cases Brief Rep* 2016;10:93–95.

Tolentino M. Systemic and ocular safety of intravitreal anti-VEGF therapies for ocular neovascular disease. *Surv Ophthalmol* 2011;56:95–113.

Trese MT, Droste PJ. Long-term postoperative results of a consecutive series of stages 4 and 5 retinopathy of prematurity. *Ophthalmology* 1998;105:992–997.

Vajzovic L, Hendrickson AE, O'Connell RV, et al. Maturation of the human fovea: correlation of spectral-domain optical coherence tomography findings with histology. *Am J Ophthalmol* 2012;154:779–789.

van der Griend BF, Lister NA, McKenzie IM, et al. Post-operative mortality in children after 101,885 anesthetics at a tertiary pediatric hospital. *Anesth Analg* 2011;112:1440–1447.

Villegas VM, Capó H, Cavuoto K, et al. Foveal structure-function correlation in children with history of retinopathy of prematurity. *Am J Ophthalmol* 2014;158:508–512.

Vinekar A, Avadhani K, Sivakumar M, et al. Understanding clinically undetected macular changes in early retinopathy of prematurity on spectral domain optical coherence tomography. *Invest Ophthalmol Vis Sci* 2011;52:5183–5188.



Vinekar A, Jayadev C, Mangalesh S, et al. Role of tele-medicine in retinopathy of prematurity screening in rural outreach centers in India—a report of 20,214 imaging sessions in the KIDROP program. *Semin Fetal Neonatal Med* 2015;20:335–345.

Vinekar A, Sivakumar M, Shetty R, et al. A novel technique using spectral-domain optical coherence tomography (Spec- tralis, SD-OCT+HRA) to image supine non-anaesthetized in- fants: utility demonstrated in aggressive posterior retinopathy of prematurity. *Eye (Lond)* 2010;24:379–382.

Wallace DK, Zhao Z, Freedman SF. A pilot study using “ROPtool” to quantify plus disease in retinopathy of prema- turity. *J AAPOS* 2007;11:381–387.

Wang X, Sawada T, Sawada O, et al. Serum and plasma vascular endothelial growth factor concentrations before and after intravitreal injection of aflibercept or ranibizumab for age-related macular degeneration. *Am J Ophthalmol* 2014; 158:738–744.

Wong RK, Ventura CV, Espiritu MJ, et al. Training fellows for retinopathy of prematurity care: a web-based survey. *J AAPOS* 2012;16:177–181.

Wong SC, Capone A. Illumination techniques for complex pediatric anterior retinal detachment and associated retrolental plaque. *Retina* 2015;35:1905–1907.

Wong SC, Capone A. Microplasmin (ocriplasmin) in pediatric vitreoretinal surgery: update and review. *Retina* 2013;33:339–348.

Wong SC, Lee TC, Heier JS, Ho AC. Endoscopic vitrectomy. *Curr Opin Ophthalmol* 2014;25:195–206.

Wu C, Löfqvist C, Smith LEH, et al; WINROP Consortium. Importance of early postnatal weight gain for normal retinal angiogenesis in very preterm infants: a multicenter study ana- lyzing weight velocity deviations for the prediction of reti- nopathy of prematurity. *Arch Ophthalmol* 2012;130:992–999.

Wu C, Petersen RA, VanderVeen DK. RetCam imaging for retinopathy of prematurity screening. *J AAPOS* 2006;10: 107–111.

Wu WC, Drenser K, Trese M, et al. Retinal phenotype- genotype correlation of pediatric patients expressing muta- tions in the Norrie disease gene. *Arch Ophthalmol* 2007; 125:225–230.

Wu WC, Drenser KA, Lai M, et al. Plasmin enzyme-assisted vitrectomy for primary and reoperated eyes with stage 5 ret- inopathy of prematurity. *Retina* 2008;28:S75–S80.

Wu WC, Kuo HK, Yeh PT, et al. An updated study of the use of bevacizumab in the treatment of patients with prethreshold retinopathy of prematurity in taiwan. *Am J Ophthalmol* 2013; 155:150–158.

Wu WC, Lai CC, Lin RI, et al. Modified 23-gauge vitrectomy system for stage 4 retinopathy of prematurity. *Arch Ophthal- mol* 2011;129:1326–1331.

Wu WC, Lien R, Liao PJ, et al. Serum levels of vascular endothelial growth factor and related factors after intravitre- ous bevacizumab injection for retinopathy of prematurity. *JAMA Ophthalmol* 2015;133:391–397.

Wu WC, Shih CP, Wang NK, et al. Choroidal thickness in patients with a history of retinopathy of prematurity. *JAMA Ophthalmol* 2013;131:1451–1458.



Xu Q, Wang Y, Dabdoub A, et al. Vascular development in the retina and inner ear: control by Norrin and Frizzled-4, a high-affinity ligand-receptor pair. *Cell* 2004;116:883–895.

Yonekawa Y, Thanos A, Abbey AM, et al. Hybrid 25- and 27-gauge vitrectomy for complex vitreoretinal surgery. *Ophthalmic Surg Lasers Imaging Retina* 2016;47:352–355.

Yonekawa Y, Thomas BJ, Drenser KA, et al. Familial exudative vitreoretinopathy: spectral-domain optical coherence tomography of the vitreoretinal interface, retina, and choroid. *Ophthalmology* 2015;122:2270–2277.

Yonekawa Y, Wu WC, Kusaka S, et al. Immediate sequential bilateral pediatric vitreoretinal surgery: an international multicenter study. *Ophthalmology* 2016;123:1802–1808.

Yonekawa Y, Wu WC, Nitulescu CE, et al. Progressive retinal detachment in infants with retinopathy of prematurity treated with intravitreal bevacizumab or ranibizumab. *Retina* 2017; May 3 [Epub ahead of print].

Yoshida I, Shiba T, Taniguchi H, et al. Evaluation of plasma vascular endothelial growth factor levels after intravitreal injection of ranibizumab and aflibercept for exudative age-related macular degeneration. *Graefes Arch Clin Exp Ophthalmol* 2014;252:1483–1489.

Zehetner C, Kirchmair R, Huber S, et al. Plasma levels of vascular endothelial growth factor before and after intravitreal injection of bevacizumab, ranibizumab and pegaptanib in patients with age-related macular degeneration, and in patients with diabetic macular oedema. *Br J Ophthalmol* 2013;97: 454–459.

Zehetner C, Kralinger MT, Modi YS, et al. Systemic levels of vascular endothelial growth factor before and after intravitreal injection of aflibercept or ranibizumab in patients with age-related macular degeneration: a randomised, prospective trial. *Acta Ophthalmol* 2015;93:e154–e159.

Zepeda-Romero LC, Oregon-Miranda AA, Lizarraga-Barrón DS, et al. Early retinopathy of prematurity findings identified with fluorescein angiography. *Graefes Arch Clin Exp Ophthalmol* 2013;251:2093–2097.