

Practical Consideration for Probiotics in the NIC

Adams M, Bassler D, Darlow BA, Lui K, Reichman B, et al; International Network for Evaluating Outcomes (iNeo) of Neonates. Preventive strategies and factors associated with surgically treated necrotising enterocolitis in extremely preterm infants: an international unit survey linked with retrospective cohort data analysis. *BMJ Open*. 2019 Oct 14;9(10):e031086. doi: 10.1136/bmjopen-2019-031086. PMID: 31615799; PMCID: PMC6797308.

AlFaleh K, Anabrees J. Probiotics for prevention of necrotizing enterocolitis in preterm infants. *Cochrane Database Syst Rev*. 2014 Apr 10;(4):CD005496. doi: 10.1002/14651858.CD005496.pub4. PMID: 24723255.

Athalye-Jape G, Rao S, Patole S. Effects of probiotics on experimental necrotizing enterocolitis: a systematic review and meta-analysis. *Pediatr Res*. 2018 Jan;83(1-1):16-22. doi: 10.1038/pr.2017.218. Epub 2017 Oct 25. PMID: 28949953.

Barbian ME, Buckle R, Denning PW, Patel RM. To start or not: Factors to consider when implementing routine probiotic use in the NICU. *Early Hum Dev*. 2019 Aug;135:66-71. doi: 10.1016/j.earlhumdev.2019.05.009. Epub 2019 Jun 10. PMID: 31196719; PMCID: PMC6684237.

Costeloe K, Hardy P, Juszczak E, Wilks M, Millar MR; Probiotics in Preterm Infants Study Collaborative Group. *Bifidobacterium breve* BBG-001 in very preterm infants: a randomised controlled phase 3 trial. *Lancet*. 2016 Feb 13;387(10019):649-60. doi: 10.1016/S0140-6736(15)01027-2. Epub 2015 Nov 28. PMID: 26628328.

Denkel LA, Schwab F, Garten L, Geffers C, Gastmeier P, Piening B. Protective Effect of Dual-Strain Probiotics in Preterm Infants: A Multi-Center Time Series Analysis. *PLoS One*. 2016 Jun 22;11(6):e0158136. doi: 10.1371/journal.pone.0158136. PMID: 27332554; PMCID: PMC4917100.

Deshpande GC, Rao SC, Keil AD, Patole SK. Evidence-based guidelines for use of probiotics in preterm neonates. *BMC Med*. 2011 Aug 2;9:92. doi: 10.1186/1741-7015-9-92. PMID: 21806843; PMCID: PMC3163616.

Duffield SD, Clarke P. Current use of probiotics to prevent necrotising enterocolitis. *Arch Dis Child Fetal Neonatal Ed*. 2019 Mar;104(2):F228. doi: 10.1136/archdischild-2018-316199. Epub 2018 Nov 21. PMID: 30464004.

Gray KD, Messina JA, Cortina C, Owens T, Fowler M, et al. Probiotic Use and Safety in the Neonatal Intensive Care Unit: A Matched Cohort Study. *J Pediatr*. 2020 May 14:S0022-3476(20)30430-3. doi: 10.1016/j.jpeds.2020.03.051. Epub ahead of print. PMID: 32418818.

Higgins JP, Altman DG, Gøtzsche PC, Jüni P, Moher D, et al; Cochrane Bias Methods Group; Cochrane Statistical Methods Group. The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. Version 2. *BMJ*. 2011 Oct 18;343:d5928. doi: 10.1136/bmj.d5928. PMID: 22008217; PMCID: PMC3196245.

Hunter C, Dimaguila MA, Gal P, Wimmer JE Jr, Ransom JL, et al. Effect of routine probiotic, *Lactobacillus reuteri* DSM 17938, use on rates of necrotizing enterocolitis in neonates with birthweight < 1000 grams: a sequential analysis. *BMC Pediatr*. 2012 Sep 4;12:142. doi: 10.1186/1471-2431-12-142. PMID: 22947597; PMCID: PMC3472183.

Jackson SA, Schoeni JL, Vegge C, Pane M, Stahl B, et al. Improving End-User Trust in the Quality of Commercial Probiotic Products. *Front Microbiol*. 2019 Apr 17;10:739. doi: 10.3389/fmicb.2019.00739. PMID: 31105649; PMCID: PMC6499161.

Jacobs SE, Tobin JM, Opie GF, Donath S, Tabrizi SN, et al; ProPrems Study Group. Probiotic effects on late-onset sepsis in very preterm infants: a randomized controlled trial. *Pediatrics*. 2013 Dec;132(6):1055-62. doi: 10.1542/peds.2013-1339. Epub 2013 Nov 18. PMID: 24249817.

Kane AF, Bhatia AD, Denning PW, Shane AL, Patel RM. Routine Supplementation of *Lactobacillus rhamnosus* GG and Risk of Necrotizing Enterocolitis in Very Low Birth Weight Infants. *J Pediatr*. 2018 Apr;195:73-79.e2. doi: 10.1016/j.jpeds.2017.11.055. PMID: 29402455; PMCID: PMC5869135.

Lewis ZT, Shani G, Masarweh CF, Popovic M, Frese SA, et al. Validating bifidobacterial species and subspecies identity in commercial probiotic products. *Pediatr Res*. 2016 Mar;79(3):445-52. doi: 10.1038/pr.2015.244. Epub 2015 Nov 16. PMID: 26571226; PMCID: PMC4916961.

Meyer MP, Chow SSW, Alsweiler J, Bouchier D, Broadbent R, et al. Probiotics for Prevention of Severe Necrotizing Enterocolitis: Experience of New Zealand Neonatal Intensive Care Units. *Front Pediatr*. 2020 Apr 7;8:119. doi: 10.3389/fped.2020.00119. PMID: 32318522; PMCID: PMC7154127.

Patel RM, Kandefer S, Walsh MC, Bell EF, Carlo WA, et al; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Causes and timing of death in extremely premature infants from 2000 through 2011. *N Engl J Med*. 2015 Jan 22;372(4):331-40. doi: 10.1056/NEJMoa1403489. PMID: 25607427; PMCID: PMC4349362.

Patel RM, Underwood MA. Probiotics and necrotizing enterocolitis. *Semin Pediatr Surg*. 2018 Feb;27(1):39-46. doi: 10.1053/j.sempedsurg.2017.11.008. Epub 2017 Nov 6. PMID: 29275816; PMCID: PMC5844696.

Robertson C, Savva GM, Clapuci R, Jones J, Maimouni H, et al. Incidence of necrotising enterocolitis before and after introducing routine prophylactic *Lactobacillus* and *Bifidobacterium* probiotics. *Arch Dis Child Fetal Neonatal Ed*. 2019 Oct 30:fetalneonatal-2019-317346. doi: 10.1136/archdischild-2019-317346. Epub ahead of print. PMID: 31666311.

Sanders ME, Merenstein DJ, Reid G, Gibson GR, Rastall RA. Probiotics and prebiotics in intestinal health and disease: from biology to the clinic. *Nat Rev Gastroenterol Hepatol*. 2019 Oct;16(10):605-616. doi: 10.1038/s41575-019-0173-3. Epub 2019 Jul 11. Erratum in: *Nat Rev Gastroenterol Hepatol*. 2019 Aug 9;; PMID: 31296969.

Sawh SC, Deshpande S, Jansen S, Reynaert CJ, Jones PM. Prevention of necrotizing enterocolitis with probiotics: a systematic review and meta-analysis. *PeerJ*. 2016;4:e2429. Published 2016 Oct 5. doi:10.7717/peerj.2429

Sekhon MK, Grubb PH, Newman M, Yoder BA. Implementation of a probiotic protocol to reduce rates of necrotizing enterocolitis. *J Perinatol*. 2019 Sep;39(9):1315-1322. doi: 10.1038/s41372-019-0443-5. Epub 2019 Jul 29. PMID: 31358866.

Singh B, Shah PS, Afifi J, Simpson CD, Mitra S, et al; Canadian Neonatal Network Investigators. Probiotics for preterm infants: A National Retrospective Cohort Study. *J Perinatol*. 2019 Apr;39(4):533-539. doi: 10.1038/s41372-019-0315-z. Epub 2019 Jan 28. PMID: 30692619.

Thomas JP, Raine T, Reddy S, Belteki G. Probiotics for the prevention of necrotising enterocolitis in very low-birth-weight infants: a meta-analysis and systematic review. *Acta Paediatr*. 2017 Nov;106(11):1729-1741. doi: 10.1111/apa.13902. Epub 2017 Jun 9. PMID: 28471478.



Center for
Research, Education, Quality & Safety

van den Akker CHP, van Goudoever JB, Szajewska H, Embleton ND, Hojsak I, et al; ESPGHAN Working Group for Probiotics, Prebiotics & Committee on Nutrition. Probiotics for Preterm Infants: A Strain-Specific Systematic Review and Network Meta-analysis. *J Pediatr Gastroenterol Nutr.* 2018 Jul;67(1):103-122. doi: 10.1097/MPG.0000000000001897. PMID: 29384838.

Viswanathan S, Lau C, Akbari H, Hoyer C, Walsh MC. Survey and evidence based review of probiotics used in very low birth weight preterm infants within the United States. *J Perinatol.* 2016 Dec;36(12):1106-1111. doi: 10.1038/jp.2016.144. Epub 2016 Sep 1. Erratum in: *J Perinatol.* 2017 Jan;37(1):104. PMID: 27583387.

Warner BB, Deych E, Zhou Y, Hall-Moore C, Weinstock GM, et al. Gut bacteria dysbiosis and necrotising enterocolitis in very low birthweight infants: a prospective case-control study. *Lancet.* 2016 May 7;387(10031):1928-36. doi: 10.1016/S0140-6736(16)00081-7. Epub 2016 Mar 9. PMID: 26969089; PMCID: PMC5553277.

<http://ibtherapeutics.com/>