



Nutrition Care Planning: Setting Up for Success at NICU Discharge

References

Aimone A, Rovet J, Ward W, Jefferies A, Campbell DM, et al; Post-Discharge Feeding Study Group. Growth and body composition of human milk-fed premature infants provided with extra energy and nutrients early after hospital discharge: 1-year follow-up. *J Pediatr Gastroenterol Nutr.* 2009 Oct;49(4):456-66. doi: 10.1097/MPG.0b013e31819bc94b. PMID: 19633578.

Belfort MB, Gillman MW, Buka SL, Casey PH, McCormick MC. Preterm infant linear growth and adiposity gain: trade-offs for later weight status and intelligence quotient. *J Pediatr.* 2013 Dec;163(6):1564-1569.e2. doi: 10.1016/j.jpeds.2013.06.032. Epub 2013 Jul 30. PMID: 23910982; PMCID: PMC3834090.

Belfort MB, Rifas-Shiman SL, Sullivan T, Collins CT, McPhee AJ, et al. Infant growth before and after term: effects on neurodevelopment in preterm infants. *Pediatrics.* 2011 Oct;128(4):e899-906. doi: 10.1542/peds.2011-0282. Epub 2011 Sep 26. PMID: 21949135; PMCID: PMC3182845.

Cerasani J, Ceroni F, De Cosmi V, Mazzocchi A, Morniroli D, et al. Human Milk Feeding and Preterm Infants' Growth and Body Composition: A Literature Review. *Nutrients.* 2020 Apr 21;12(4):1155. doi: 10.3390/nu12041155. PMID: 32326178; PMCID: PMC7230190.

Cho WK, Suh BK. Catch-up growth and catch-up fat in children born small for gestational age. *Korean J Pediatr.* 2016 Jan;59(1):1-7. doi: 10.3345/kjp.2016.59.1.1. Epub 2016 Jan 22. PMID: 26893597; PMCID: PMC4753194.

Cole TJ, Statnikov Y, Santhakumaran S, Pan H, Modi N; Neonatal Data Analysis Unit and the Preterm Growth Investigator Group. Birth weight and longitudinal growth in infants born below 32 weeks' gestation: a UK population study. *Arch Dis Child Fetal Neonatal Ed.* 2014 Jan;99(1):F34-40. doi: 10.1136/archdischild-2012-303536. Epub 2013 Aug 9. PMID: 23934365; PMCID: PMC3888637.

Cooke RJ, Embleton ND, Griffin IJ, Wells JC, McCormick KP. Feeding preterm infants after hospital discharge: growth and development at 18 months of age. *Pediatr Res.* 2001 May;49(5):719-22. doi: 10.1203/00006450-200105000-00018. PMID: 11328958.

Crump C, Winkleby MA, Sundquist K, Sundquist J. Risk of hypertension among young adults who were born preterm: a Swedish national study of 636,000 births. *Am J Epidemiol.* 2011 Apr 1;173(7):797-803. doi: 10.1093/aje/kwq440. Epub 2011 Feb 13. PMID: 21320866; PMCID: PMC3105282.

Dabydeen L, Thomas JE, Aston TJ, Hartley H, Sinha SK, Eyre JA. High-energy and -protein diet increases brain and corticospinal tract growth in term and preterm infants after perinatal brain injury. *Pediatrics.* 2008 Jan;121(1):148-56. doi: 10.1542/peds.2007-1267. PMID: 18166569.

da Cunha RD, Lamy Filho F, Rafael EV, Lamy ZC, de Queiroz AL. Breast milk supplementation and preterm infant development after hospital discharge: a randomized clinical trial. *J Pediatr (Rio J).* 2016 Mar-Apr;92(2):136-42. doi: 10.1016/j.jpmed.2015.04.004. Epub 2015 Sep 25. PMID: 26403703.

Edwards EM, Greenberg LT, Ehret DEY, Lorch SA, Horbar JD. Discharge Age and Weight for Very Preterm Infants: 2005-2018. *Pediatrics.* 2021 Feb;147(2):e2020016006. doi: 10.1542/peds.2020-016006. PMID: 33510034.

Ehrenkranz RA, Younes N, Lemons JA, Fanaroff AA, Donovan EF, et al. Longitudinal growth of hospitalized very low birth weight infants. *Pediatrics*. 1999 Aug;104(2 Pt 1):280-9. doi: 10.1542/peds.104.2.280. PMID: 10429008.

Embleton ND, Wood CL, Pearce MS, Brunskill G, Grahame V. Early diet in preterm infants and later cognition: 10-year follow-up of a randomized controlled trial. *Pediatr Res*. 2021 May;89(6):1442-1446. doi: 10.1038/s41390-021-01368-y. Epub 2021 Feb 9. PMID: 33564126; PMCID: PMC8163596.

Embleton ND, Korada M, Wood CL, Pearce MS, Swamy R, Cheetham TD. Catch-up growth and metabolic outcomes in adolescents born preterm. *Arch Dis Child*. 2016 Nov;101(11):1026-1031. doi: 10.1136/archdischild-2015-310190. Epub 2016 Jun 10. PMID: 27288431.

Gianni ML, Roggero P, Amato O, Picciolini O, Piemontese P, et al. Randomized outcome trial of nutrient-enriched formula and neurodevelopment outcome in preterm infants. *BMC Pediatr*. 2014 Mar 19;14:74. doi: 10.1186/1471-2431-14-74. PMID: 24645671; PMCID: PMC3994650.

Horbar JD, Ehrenkranz RA, Badger GJ, Edwards EM, Morrow KA, et al. Weight Growth Velocity and Postnatal Growth Failure in Infants 501 to 1500 Grams: 2000-2013. *Pediatrics*. 2015 Jul;136(1):e84-92. doi: 10.1542/peds.2015-0129. PMID: 26101360.

Latal-Hajnal B, von Siebenthal K, Kovari H, Bucher HU, Largo RH. Postnatal growth in VLBW infants: significant association with neurodevelopmental outcome. *J Pediatr*. 2003 Aug;143(2):163-70. doi: 10.1067/S0022-3476(03)00243-9. PMID: 12970627.

Leunissen RW, Kerkhof GF, Stijnen T, Hokken-Koelega AC. Fat mass and apolipoprotein E genotype influence serum lipoprotein levels in early adulthood, whereas birth size does not. *J Clin Endocrinol Metab*. 2008 Nov;93(11):4307-14. doi: 10.1210/jc.2008-0621. Epub 2008 Aug 26. PMID: 18728174.

McCormick FM, Henderson G, Fahey T, McGuire W. Multinutrient fortification of human breast milk for preterm infants following hospital discharge. *Cochrane Database Syst Rev*. 2010 Jul 7;(7):CD004866. doi: 10.1002/14651858.CD004866.pub3. Update in: *Cochrane Database Syst Rev*. 2013;2:CD004866. PMID: 20614438.

Morrison KM, Ramsingh L, Gunn E, Streiner D, Van Lieshout R, et al. Cardiometabolic Health in Adults Born Premature With Extremely Low Birth Weight. *Pediatrics*. 2016 Oct;138(4):e20160515. doi: 10.1542/peds.2016-0515. Epub 2016 Sep 2. PMID: 27590899.

Neubauer V, Fuchs T, Griesmaier E, Kager K, Pupp-Peglow U, Kiechl-Kohlendorfer U. Poor postdischarge head growth is related to a 10% lower intelligence quotient in very preterm infants at the chronological age of five years. *Acta Paediatr*. 2016 May;105(5):501-7. doi: 10.1111/apa.13336. Epub 2016 Feb 18. PMID: 26792418.

O'Connor DL, Khan S, Weishuhn K, Vaughan J, Jefferies A, et al; Postdischarge Feeding Study Group. Growth and nutrient intakes of human milk-fed preterm infants provided with extra energy and nutrients after hospital discharge. *Pediatrics*. 2008 Apr;121(4):766-76. doi: 10.1542/peds.2007-0054. PMID: 18381542.

O'Connor DL, Weishuhn K, Rovet J, Mirabella G, Jefferies A, et al; Post-Discharge Feeding Study Group. Visual development of human milk-fed preterm infants provided with extra energy and nutrients after hospital discharge. *JPEN J Parenter Enteral Nutr*. 2012 May;36(3):349-53. doi: 10.1177/0148607111414026. Epub 2011 Dec 13. PMID: 22167077.

Pfister KM, Gray HL, Miller NC, Demerath EW, Georgieff MK, Ramel SE. Exploratory study of the relationship of fat-free mass to speed of brain processing in preterm infants. *Pediatr Res.* 2013 Nov;74(5):576-83. doi: 10.1038/pr.2013.138. Epub 2013 Aug 13. PMID: 23942556.

Picaud JC, Vincent M, Buffin R. Human Milk Fortification for Preterm Infants: A Review. *World Rev Nutr Diet.* 2021;122:225-247. doi: 10.1159/000514744. Epub 2021 Aug 5. PMID: 34352760.

Ramel SE, Gray HL, Christiansen E, Boys C, Georgieff MK, Demerath EW. Greater Early Gains in Fat-Free Mass, but Not Fat Mass, Are Associated with Improved Neurodevelopment at 1 Year Corrected Age for Prematurity in Very Low Birth Weight Preterm Infants. *J Pediatr.* 2016 Jun;173:108-15. doi: 10.1016/j.jpeds.2016.03.003. Epub 2016 Apr 4. PMID: 27056450.

Ramel SE, Demerath EW, Gray HL, Younge N, Boys C, Georgieff MK. The relationship of poor linear growth velocity with neonatal illness and two-year neurodevelopment in preterm infants. *Neonatology.* 2012;102(1):19-24. doi: 10.1159/000336127. Epub 2012 Mar 22. PMID: 22441508.

Ramel SE, Gray HL, Ode KL, Younge N, Georgieff MK, Demerath EW. Body composition changes in preterm infants following hospital discharge: comparison with term infants. *J Pediatr Gastroenterol Nutr.* 2011 Sep;53(3):333-8. doi: 10.1097/MPG.0b013e3182243aa7. PMID: 21602717; PMCID: PMC7680641.

Roggero P, Gianni ML, Amato O, Liotto N, Morlacchi L, et al. Growth and fat-free mass gain in preterm infants after discharge: a randomized controlled trial. *Pediatrics.* 2012 Nov;130(5):e1215-21. doi: 10.1542/peds.2012-1193. Epub 2012 Oct 29. PMID: 23109680.

Rozé JC, Darmaun D, Boquien CY, Flamant C, Picaud JC, et al. The apparent breastfeeding paradox in very preterm infants: relationship between breast feeding, early weight gain and neurodevelopment based on results from two cohorts, EPIPAGE and LIFT. *BMJ Open.* 2012 Apr 5;2(2):e000834. doi: 10.1136/bmjopen-2012-000834. PMID: 22492388; PMCID: PMC3323805.

Scheurer JM, Zhang L, Plummer EA, Hultgren SA, Demerath EW, Ramel SE. Body Composition Changes from Infancy to 4 Years and Associations with Early Childhood Cognition in Preterm and Full-Term Children. *Neonatology.* 2018;114(2):169-176. doi: 10.1159/000487915. Epub 2018 Jun 13. PMID: 29898453; PMCID: PMC6083858.

Tinnion R, Gillone J, Cheetham T, Embleton N. Preterm birth and subsequent insulin sensitivity: a systematic review. *Arch Dis Child.* 2014 Apr;99(4):362-8. doi: 10.1136/archdischild-2013-304615. Epub 2013 Dec 20. PMID: 24363362.

Toftlund LH, Agertoft L, Halken S, Zachariassen G. Improved lung function at age 6 in children born very preterm and fed extra protein post-discharge. *Pediatr Allergy Immunol.* 2019 Feb;30(1):47-54. doi: 10.1111/pai.12981. Epub 2018 Dec 13. PMID: 30194887.

Young L, Embleton ND, McGuire W. Nutrient-enriched formula versus standard formula for preterm infants following hospital discharge. *Cochrane Database Syst Rev.* 2016 Dec 13;12(12):CD004696. doi: 10.1002/14651858.CD004696.pub5. PMID: 27958643; PMCID: PMC6463855.

Zachariassen G, Faerk J, Grytter C, Esberg BH, Hjelmberg J, et al. Nutrient enrichment of mother's milk and growth of very preterm infants after hospital discharge. *Pediatrics.* 2011 Apr;127(4):e995-e1003. doi: 10.1542/peds.2010-0723. Epub 2011 Mar 14. PMID: 21402642.