



What is NEC and How Do We Prevent It?

References

Adesanya OA, O'Shea TM, Turner CS, Amoroso RM, Morgan TM, Aschner JL. Intestinal perforation in very low birth weight infants: growth and neurodevelopment at 1 year of age. *J Perinatol*. 2005 Sep;25(9):583-9. doi: 10.1038/sj.jp.7211360. PMID: 16034475.

Cantey JB, Pyle AK, Wozniak PS, Hynan LS, Sánchez PJ. Early Antibiotic Exposure and Adverse Outcomes in Preterm, Very Low Birth Weight Infants. *J Pediatr*. 2018 Dec;203:62-67. doi: 10.1016/j.jpeds.2018.07.036. Epub 2018 Aug 29. PMID: 30172430.

Challis P, Larsson L, Stoltz Sjöström E, Serenius F, Domellöf M, Elfvin A. Validation of the diagnosis of necrotising enterocolitis in a Swedish population-based observational study. *Acta Paediatr*. 2019 May;108(5):835-841. doi: 10.1111/apa.14585. Epub 2018 Oct 9. PMID: 30238614; PMCID: PMC6586065.

Christensen RD, Lambert DK, Baer VL, Gordon PV. Necrotizing enterocolitis in term infants. *Clin Perinatol*. 2013 Mar;40(1):69-78. doi: 10.1016/j.clp.2012.12.007. Epub 2013 Jan 17. PMID: 23415264.

Clark RH, Gordon P, Walker WM, Laughon M, Smith PB, Spitzer AR. Characteristics of patients who die of necrotizing enterocolitis. *J Perinatol*. 2012 Mar;32(3):199-204. doi: 10.1038/jp.2011.65. Epub 2011 May 19. PMID: 21593813; PMCID: PMC3289772.

Cohen M, Steffen E, Axelrod R, Patel SN, Toczylowski K, et al. Availability of Donor Human Milk Decreases the Incidence of Necrotizing Enterocolitis in VLBW Infants. *Adv Neonatal Care*. 2021 Oct 1;21(5):341-348. doi: 10.1097/ANC.0000000000000804. PMID: 33315594.

Cotten CM. Modifiable Risk Factors in Necrotizing Enterocolitis. *Clin Perinatol*. 2019 Mar;46(1):129-143. doi: 10.1016/j.clp.2018.10.007. Epub 2018 Dec 21. PMID: 30771814.

Cotten CM, Taylor S, Stoll B, Goldberg RN, Hansen NI, et al; NICHD Neonatal Research Network. Prolonged duration of initial empirical antibiotic treatment is associated with increased rates of necrotizing enterocolitis and death for extremely low birth weight infants. *Pediatrics*. 2009 Jan;123(1):58-66. doi: 10.1542/peds.2007-3423. PMID: 19117861; PMCID: PMC2760222.

Cristofalo EA, Schanler RJ, Blanco CL, Sullivan S, Trawoeger R, et al. Randomized trial of exclusive human milk versus preterm formula diets in extremely premature infants. *J Pediatr*. 2013 Dec;163(6):1592-1595.e1. doi: 10.1016/j.jpeds.2013.07.011. Epub 2013 Aug 20. PMID: 23968744.

Fullerton BS, Velazco CS, Sparks EA, Morrow KA, Edwards EM, et al. Contemporary Outcomes of Infants with Gastroschisis in North America: A Multicenter Cohort Study. *J Pediatr*. 2017 Sep;188:192-197.e6. doi: 10.1016/j.jpeds.2017.06.013. Epub 2017 Jul 13. PMID: 28712519.

Gordon PV, Swanson JR, MacQueen BC, Christensen RD. A critical question for NEC researchers: Can we create a consensus definition of NEC that facilitates research progress? *Semin Perinatol*. 2017 Feb;41(1):7-14. doi: 10.1053/j.semperi.2016.09.013. Epub 2016 Nov 17. PMID: 27866661.



Gordon P, Christensen R, Weitkamp JH, Maheshwari A. Mapping the New World of Necrotizing Enterocolitis (NEC): Review and Opinion. *EJ Neonatol Res.* 2012;2(4):145-172. PMID: 23730536; PMCID: PMC3666872.

Gordon PV, Clark R, Swanson JR, Spitzer A. Can a national dataset generate a nomogram for necrotizing enterocolitis onset? *J Perinatol.* 2014 Oct;34(10):732-5. doi: 10.1038/jp.2014.137. Epub 2014 Jul 31. PMID: 25078862.

Gordon PV, Swanson JR, Clark R, Spitzer A. The complete blood cell count in a refined cohort of preterm NEC: the importance of gestational age and day of diagnosis when using the CBC to estimate mortality. *J Perinatol.* 2016 Feb;36(2):121-5. doi: 10.1038/jp.2015.162. Epub 2015 Nov 12. PMID: 26562369.

Gray KD, Messina JA, Cortina C, Owens T, Fowler M, et al. Probiotic Use and Safety in the Neonatal Intensive Care Unit: A Matched Cohort Study. *J Pediatr.* 2020 Jul;222:59-64.e1. doi: 10.1016/j.jpeds.2020.03.051. Epub 2020 May 14. PMID: 32418818; PMCID: PMC7321859.

Hackam DJ, Sodhi CP. Toll-Like Receptor-Mediated Intestinal Inflammatory Imbalance in the Pathogenesis of Necrotizing Enterocolitis. *Cell Mol Gastroenterol Hepatol.* 2018 Apr 6;6(2):229-238.e1. doi: 10.1016/j.jcmgh.2018.04.001. PMID: 30105286; PMCID: PMC6085538.

Hagadorn JI, Brownell EA, Lussier MM, Parker MG, Herson VC. Variability of Criteria for Pasteurized Donor Human Milk Use: A Survey of U.S. Neonatal Intensive Care Unit Medical Directors. *JPEN J Parenter Enteral Nutr.* 2016 Mar;40(3):326-33. doi: 10.1177/0148607114550832. Epub 2014 Sep 29. PMID: 25267184.

Hull MA, Fisher JG, Gutierrez IM, Jones BA, Kang KH, et al. Mortality and management of surgical necrotizing enterocolitis in very low birth weight neonates: a prospective cohort study. *J Am Coll Surg.* 2014 Jun;218(6):1148-55. doi: 10.1016/j.jamcollsurg.2013.11.015. Epub 2013 Nov 27. PMID: 24468227.

Jasani B, Rao S, Patole S. Withholding Feeds and Transfusion-Associated Necrotizing Enterocolitis in Preterm Infants: A Systematic Review. *Adv Nutr.* 2017 Sep 15;8(5):764-769. doi: 10.3945/an.117.015818. PMID: 28916576; PMCID: PMC5593105.

Kim JH. Necrotizing enterocolitis: the road to zero. *Semin Fetal Neonatal Med.* 2014 Feb;19(1):39-44. doi: 10.1016/j.siny.2013.10.001. Epub 2013 Nov 21. PMID: 24268863.

Lenfestey MW, de la Cruz D, Neu J. Food Protein-Induced Enterocolitis Instead of Necrotizing Enterocolitis? A Neonatal Intensive Care Unit Case Series. *J Pediatr.* 2018 Sep;200:270-273. doi: 10.1016/j.jpeds.2018.04.048. Epub 2018 May 24. PMID: 29803301.

Lure AC, Du X, Black EW, Irons R, Lemas DJ, et al. Using machine learning analysis to assist in differentiating between necrotizing enterocolitis and spontaneous intestinal perforation: A novel predictive analytic tool. *J Pediatr Surg.* 2021 Oct;56(10):1703-1710. doi: 10.1016/j.jpedsurg.2020.11.008. Epub 2020 Nov 13. PMID: 33342603.

MacQueen BC, Christensen RD, Yost CC, Gordon PV, Baer VL, et al. Reference intervals for stool calprotectin in preterm neonates and their utility for the diagnosis of necrotizing enterocolitis. *J Perinatol.* 2018 Oct;38(10):1379-1385. doi: 10.1038/s41372-018-0108-9. Epub 2018 May 8. PMID: 29740189.

McElhinney DB, Hedrick HL, Bush DM, Pereira GR, Stafford PW, et al. Necrotizing enterocolitis in neonates with congenital heart disease: risk factors and outcomes. *Pediatrics.* 2000 Nov;106(5):1080-7. doi: 10.1542/peds.106.5.1080. PMID: 11061778.



Meinzen-Derr J, Poindexter B, Wrage L, Morrow AL, Stoll B, Donovan EF. Role of human milk in extremely low birth weight infants' risk of necrotizing enterocolitis or death. *J Perinatol*. 2009 Jan;29(1):57-62. doi: 10.1038/jp.2008.117. Epub 2008 Aug 21. PMID: 18716628; PMCID: PMC2801431.

O'Connor DL, Kiss A, Tomlinson C, Bando N, Bayliss A, et al; OptiMoM Feeding Group. Nutrient enrichment of human milk with human and bovine milk-based fortifiers for infants born weighing <1250 g: a randomized clinical trial. *Am J Clin Nutr*. 2018 Jul 1;108(1):108-116. doi: 10.1093/ajcn/nqy067. Erratum in: *Am J Clin Nutr*. 2019 Aug 1;110(2):529. Erratum in: *Am J Clin Nutr*. 2020 May 1;111(5):1112. PMID: 29878061.

Patel RM, Ferguson J, McElroy SJ, Khashu M, Caplan MS. Defining necrotizing enterocolitis: current difficulties and future opportunities. *Pediatr Res*. 2020 Aug;88(Suppl 1):10-15. doi: 10.1038/s41390-020-1074-4. PMID: 32855506; PMCID: PMC8096612.

Patole SK, de Klerk N. Impact of standardised feeding regimens on incidence of neonatal necrotising enterocolitis: a systematic review and meta-analysis of observational studies. *Arch Dis Child Fetal Neonatal Ed*. 2005 Mar;90(2):F147-51. doi: 10.1136/adc.2004.059741. PMID: 15724039; PMCID: PMC1721845.

Quigley M, Embleton ND, McGuire W. Formula versus donor breast milk for feeding preterm or low birth weight infants. *Cochrane Database Syst Rev*. 2019 Jul 19;7(7):CD002971. doi: 10.1002/14651858.CD002971.pub5. PMID: 31322731; PMCID: PMC6640412.

Remon J, Kampanatkosol R, Kaul RR, Muraskas JK, Christensen RD, Maheshwari A. Acute drop in blood monocyte count differentiates NEC from other causes of feeding intolerance. *J Perinatol*. 2014 Jul;34(7):549-54. doi: 10.1038/jp.2014.52. Epub 2014 Mar 27. PMID: 24674979; PMCID: PMC4074443.

Romaine A, Ye D, Ao Z, Fang F, Johnson O, et al; Best Pharmaceuticals for Children Act – Pediatric Trials Network. Safety of histamine-2 receptor blockers in hospitalized VLBW infants. *Early Hum Dev*. 2016 Aug;99:27-30. doi: 10.1016/j.earlhumdev.2016.05.010. Epub 2016 Jul 4. PMID: 27390109; PMCID: PMC4969147.

Sharif S, Meader N, Oddie SJ, Rojas-Reyes MX, McGuire W. Probiotics to prevent necrotising enterocolitis in very preterm or very low birth weight infants. *Cochrane Database Syst Rev*. 2020 Oct 15;10(10):CD005496. doi: 10.1002/14651858.CD005496.pub5. PMID: 33058137; PMCID: PMC8094746.

Sharma R, Garrison RD, Tepas JJ 3rd, Mollitt DL, Pieper P, et al. Rotavirus-associated necrotizing enterocolitis: an insight into a potentially preventable disease? *J Pediatr Surg*. 2004 Mar;39(3):453-7. doi: 10.1016/j.jpedsurg.2003.11.016. PMID: 15017569.

Sullivan S, Schanler RJ, Kim JH, Patel AL, Trawöger R, et al. An exclusively human milk-based diet is associated with a lower rate of necrotizing enterocolitis than a diet of human milk and bovine milk-based products. *J Pediatr*. 2010 Apr;156(4):562-7.e1. doi: 10.1016/j.jpeds.2009.10.040. Epub 2009 Dec 29. PMID: 20036378.

Tarnow-Mordi W, Morris J, Kirby A, Robledo K, Askie L, et al; Australian Placental Transfusion Study Collaborative Group. Delayed versus Immediate Cord Clamping in Preterm Infants. *N Engl J Med*. 2017 Dec 21;377(25):2445-2455. doi: 10.1056/NEJMoa1711281. Epub 2017 Oct 29. PMID: 29081267.

Walsh MC, Kliegman RM. Necrotizing enterocolitis: treatment based on staging criteria. *Pediatr Clin North Am*. 1986 Feb;33(1):179-201. doi: 10.1016/s0031-3955(16)34975-6. PMID: 3081865; PMCID: PMC7131118.

Woods CW, Oliver T, Lewis K, Yang Q. Development of necrotizing enterocolitis in premature infants receiving thickened feeds using SimplyThick®. *J Perinatol*. 2012 Feb;32(2):150-2. doi: 10.1038/jp.2011.105. PMID: 22289705.



Zhu D, Xiao S, Yu J, Ai Q, He Y, et al. Effects of One-Week Empirical Antibiotic Therapy on the Early Development of Gut Microbiota and Metabolites in Preterm Infants. *Sci Rep.* 2017 Aug 14;7(1):8025. doi: 10.1038/s41598-017-08530-9. PMID: 28808302; PMCID: PMC5556106.